

HP-SERIES – High-Tonnage Pulling Pull Cylinders

- High strength steel construction
- One piece high grade alloy bearing for side load protection and longer life
- Polyurethane cup seal provides optimum performance
- External plunger threads and Internal base threads
- Used for pulling and tensioning
- Maximum working pressure: 10,000 psi / 700 bar
- Spring extend return



HPB3006A



HPB1006



HPB3006A




HP0205




HP0505




HP1006



HP0205+CP02
HP0505+CP05
HP1006+CP10



HP0205
HP0505
HP1006



TAON Hydraulic Components ApS are specialists in hydraulic solutions, components and tools.
TAON Hydraulic Components ApS • +45 24 48 84 80 • info@taon.dk • www.taon.dk
© TAON Hydraulic will always help you find the best solution.

HP-SERIES – High-Tonnage Pulling Pull Cylinders

Cylinder Capacity	Stroke (mm)	Model Number	Cylinder Effective Area (cm ²)	Oil Capacity (cc)	Collapsed Height A (mm)	Extended Height B (mm)	Cylinder Bore Dia. C (mm)	Outside Dia. D (mm)	Dia. E (mm)	Collar	
										Thread H	Thread Length L (mm)
2.5 Tonne /25 kN	127	HP0205	3.6	46	268	395	29	48	19	1 1/2"-16UN	25
5 Tonne /51 kN	141	HP0505	7.4	104	303	444	43	57	30	2 1/4"-14UN	25
10 Tonne /108 kN	151	HP1006	15.7	237	299	450	55	85	32	M85x2	25
	150.6	HPB1006A	15.7	236.74	565	715.6	55	85	-	-	-
30 Tonne /285 kN	154.5	HPB3006A	49.8	633.02	1085	1239.5	85	114.3	-	-	-

Model Number	Adapter		Plunger		Base Mounting Hole		Weight (kg)	Clavis eye dimensions					
	Thread S (mm)	Length R (mm)	Thread Length P (mm)	Thread Q (mm)	Thread Y	Depth Z (mm)		L	M	N	T	U	V
HP0205	3/4"-14NPTF	129	19	M16 x 1.5	3/4"-14NPTF	18	2.9	-	20	26	16	70	35
HP0505	1 1/4"-11.5NPTF	32	24	M28 x 1.5	1 1/4"-11.5NPTF	24	4.2	-	25	40	22	83	45
HP1006	-	-	26	M30 x 2	M30x2	25	9.5	-	32	43	32	129	63
HPB1006A	-	-		M30 x 2			12.0	30	32	-	22	67	115
HPB3006A	-	-	-	1 1/4"-7UNC	-	-	47.4	60	50	40	34	110	146

LH Cylinder Lifting Handles

- Designed for easy carrying cylinders
- Provides better control when positioning cylinder
- Easy installation

Model Number	For Cylinders
LH25T34	H2504 through H2514
LH30T40	H3008, HD3008, HD3014, HC2002T, HC2006T, HU30XX
LH40T40	HC3002T, HC3006T, HCD3007, HDC3010
LH55T49	HLN5504 through HLN5512



LH25T34

TAON

Hydraulik Komponenter

TAON Hydraulic Components ApS are specialists in hydraulic solutions, components and tools.
TAON Hydraulic Components ApS • +45 24 48 84 80 • info@taon.dk • www.taon.dk
© TAON Hydraulic will always help you find the best solution.

CEP, CEB, CP-series Clevis and Tangs



CEB-15




CEP-15




CP-10


CPXX-Clevis Plunger & Base



CEP XX-Plunger



CEB XX-Base



Model Number	Cylinder Capacity	Model Number	Dimensions (mm)									X	Y	Z
			A	B	C	D	E	F	G	H	M			
CEP05	Plunger	H05	3/4"-16UNF	29	57	16	16	14	-	25.5	-	-	-	-
CEP15		H10, H15, HD10	1"-8UNC	43	84	22	19	25	-	39.7	-	-	-	-
CEP25		H25, H30, H30	38.6	57	97	32	22	38	-	42.8	-	-	-	-
CEP05	Base	H05	38.6	44	54	16	29	6.5	-	38.0	26	6.4	12.7	-
CEP10		H10	58.0	63	73	22	43	8.2	-	47.6	28	6.4	12.7	-
CEP15		H15	70.4	76	73	22	43	9.7	-	47.6	48	6.4	12.7	-
CEB25		H25	86.2	95	86	32	57	14.3	-	54.0	58	6.4	12.7	-
CEP05*	"Plunger & Base"	HP0205	Male 3/4"-14NPT Female M16X1,5	40	85	16	55	20	40	65	-	-	-	22
CEP15*		HP0505	Male 1 1/4"-14NPT Female M28X1,5	48	100	20	70	20	48	75	-	-	-	25
CEP25*		HP1006	M30x2	75	160	30	95	35	65	128	-	-	-	27

* 2-pc set with an adapter



TAON Hydraulic Components ApS are specialists in hydraulic solutions, components and tools.
TAON Hydraulic Components ApS • +45 24 48 84 80 • info@taon.dk • www.taon.dk
© TAON Hydraulic will always help you find the best solution.